



Press contact:
Torsten Pape
HOFMANN GmbH
Maschinenfabrik und Vertrieb

Industriestrasse 22
25462 Rellingen
Germany

Phone: +49 4101 3027-0
Fax: +49 4101 31022
presseinfo@hofmannmarking.de
<http://www.hofmannmarking.de>

PRESS RELEASE

New 2-component cold plastic SPOTFLEX® application system boasts high marking speed and modular build as well as user friendliness

Rellingen, April 29, 2010 - The first SPOTFLEX® application procedure was already developed in 1984 by HOFMANN, the market leader for road marking technology. The new, improved system thus includes more than 25 years of experience and successful use in practice.

The innovations are particularly noticeable in the high marking speed. An agglomerate line distance of 2 cm and one-row nozzle arrangement achieves up to 4.0 km/h; this corresponds to roughly 55 lines per second.

"The high application speed at constant good quality is a real advantage of the new system. In addition to double lines, it is now possible to carry out line combinations of continuous and broken lines in one pass," explains Torsten Pape, Head of Sales and Marketing at HOFMANN.

Moreover, the new 2-component cold plastic SPOTFLEX® application system boasts a modular spray bar build with individual nozzle holders and attached nozzles. The machine operator can assemble the spray bar as needed (required line width and/or lateral agglomerate distance).

The individual nozzles can be exchanged within a few seconds without tools. This simplifies maintenance and cleaning work, for a clogged nozzle for example, making complete purging of the system unnecessary (purging agent reduction).



Press contact:
Torsten Pape
HOFMANN GmbH
Maschinenfabrik und Vertrieb

Industriestrasse 22
25462 Rellingen
Germany

Phone: +49 4101 3027-0
Fax: +49 4101 31022
presseinfo@hofmannmarking.de
<http://www.hofmannmarking.de>

PRESS RELEASE

The new 2-component cold plastic SPOTFLEX[®] application system offers decisive advantages: Fast, reliable, maintenance- and user-friendly - thus tailor-made for the high road marking requirements.

Download more information and images of the new 2-component cold plastic SPOTFLEX[®] application system from HOFMANN at:

http://www.hofmannmarking.de/download/info385_en.pdf



Press contact:
Torsten Pape
HOFMANN GmbH
Maschinenfabrik und Vertrieb

Industriestrasse 22
25462 Rellingen
Germany

Phone: +49 4101 3027-0
Fax: +49 4101 31022
presseinfo@hofmannmarking.de
<http://www.hofmannmarking.de>

PRESS RELEASE

The HOFMANN press center has more information, pictures, and publications available for download at:

www.hofmannmarking.de/en/pressemitteilung.php

Printing free of charge / Voucher requested.

Press contact for inquiries:

Torsten Pape
HOFMANN GmbH
Maschinenfabrik und Vertrieb

Industriestrasse 22
D 25462 Rellingen
Germany

Phone: +49 4101 3027-0
Fax: +49 4101 31022

E-mail: presseinfo@hofmannmarking.de
Web: www.hofmannmarking.de
Twitter: <http://twitter.com/HOFMANNOnline>
Facebook: <http://www.facebook.com/pages/Hofmann-GmbH/270224818408>
YouTube: <http://www.youtube.com/user/hofmann1952#p/u>

About HOFMANN GmbH:

HOFMANN, the leading manufacturer of road marking technology (www.hofmannmarking.de), has been operating successfully for more than 50 years as an internationally recognized and competent partner for marking technology. The traditional company located in Rellingen, Germany, supplies the entire product range required for road marking across the globe.